

Atlantic
Premium Shutters®



Whispers of Sophistication


Your home reflects your personality. What would you like it to say? With Atlantic Premium Shutters, you gain the utmost in freedom of curb-appeal expression.

With an unparalleled combination of style, craftsmanship and durability, Atlantic Premium Shutters let you create a portrait that's as subtle or bold as you wish. Offering the luxuries of broad choice and customized design, our shutters illustrate a scene that perfectly fits you: classically traditional, uncommonly elegant, playfully at ease or boldly adventurous.

Our fully functional and operable shutters are architecturally correct and historically accurate. With details like open louvers and period-inspired working hardware, Atlantic shutters offer an exceptional product for discerning homes.

Made-to-order for your windows, hand-assembled and hand-sanded, Atlantic Premium Shutters fuse time-honored design with reliable integrity. These color-rich shutters will not crack, split, rot, peel or flake.

Front Cover: Architectural Collection, Raised Panel and Louver



Echoes of
Undeniable
Style.

Atlantic Premium Shutters paint a portrait for you with amazing detail and color. We invite you to fall in love with your choices and see a little bit of yourself in your home.

Classic Collection, Raised Panel





Architectural Collection, Raised Panel and Louver



Architectural Collection, Louver

The Architectural Collection

EXCELLENCE IN ARCHITECTURAL HERITAGE

The shutters of the Architectural Collection beautifully reflect the time-honored look and functionality of traditional shutter design. With a mix of advanced, superior-quality materials, these shutters provide a lifetime of classic exterior charm without any maintenance required. The fully-functional shutters of the Architectural Collection are comprised of our Raised Panel, Louvered Colonial, Combination and Bahama shutter styles. These shutters are historically-accurate and have been approved by numerous historical districts and preservation societies.

QUALITY CRAFTING

Our level of detail requires that shutter components be hand-cut and hand-assembled to meet your exact specifications. The Architectural Collection uses modern materials with a centuries-old technique of mortise and tenon joinery to provide the strongest structural joint.

BOLD DESIGN AT EVERY LEVEL

Architectural Collection shutter frames feature unsurpassed durability due to the strength of the marine-grade fiberglass used in our proprietary stile and louver designs.

We use our own proprietary, exterior grade composite wood to manufacture solid, sturdy shutter panels. Our composite is created using a patented steam-injection process that combines wood with zinc borate and phenolic resins for extreme toughness.

Shutter rails are crafted from single-sheet, structural-grade PVC delivering strength and stability, and allowing for custom rail sizing in louver style only. The specialized tooling of each of our selected materials enables the creation of fine, historically-correct detail.

AMAZINGLY RICH COLOR

Our advanced finishing process gives you enduring, vibrant color. Every Architectural Collection shutter receives two coats of specially-formulated, industrial-grade, 2-part urethane finish paint. Our oven-curing process turns the paint into a permanently-bonded, hardened shell with deep color. Our partnership with the world leader in finishes allows us to match most any color.

Raised Panel

Raised Panel shutters offer a handsome, classic look for a variety of historic or modern home styles. The clean elegance and artistic depth of the panels and curves dramatically catch sunlight and impart alluring shadow. Popular two-panel and three-panel designs bring deep texture and solid, artistic appeal. A wealth of options is available for added sophistication, limited only by your imagination.



Standard



Single Panel



Extra Panel



Flat Panel



Custom Rail Location



Arch or Radius Top



V-groove Flat Panel




Single Panel with Vertical Cut Profile



Rabbeted Edge with Beading



Architectural Collection, Raised Panel



Architectural Collection, Raised Panel

Louvered Colonial

True to centuries-old design, our Louvered Colonial shutters provide timeless elegance with the crisp lines of genuine open louvers. Just as louvered shutters performed the duties of keeping inclement weather out, protecting the home and allowing ambient light, our shutters today provide the same functionality with integrity that will stand throughout your lifetime.




Standard



Additional Rail



Vertical Mullion



Faux Tilt Rod



Custom Top or
Bottom Rail Sizes



Solid Arch Top



Horns



Rabbeted Edge



Architectural Collection, Louver



Architectural Collection, Louver

Combination

Combination shutters provide the creative outlet for homeowners and architects with a passion for the utmost in unique style. These shutters enable the full creativity of combining design elements of Raised Panel and Louvered Colonial shutters. Allowing a wide spectrum of personalized details, our Combination shutters can exceptionally enhance historical themes or create a signature look that's exclusively your own.



Standard



Extra Panel



Additional Rail



Vertical Mullion



Faux Tilt Rod



Custom Top or
Bottom Rail Sizes



Solid Panel
Arch Top



Rabbeted Edge



Architectural Collection, Combination

Bahama

Atlantic's Bahama shutters bring refreshingly clean, versatile design. Inspired by the elegant functionality of shutters found throughout the Caribbean, Bahama shutters block out intense UV rays that can damage interiors, while allowing soft ambient light and refreshing breezes to pass through. Their airy, relaxed design offers a sophisticated privacy solution. Bahama shutters can be paired with various shutter styles to deliver a dramatic look. These shutters are a longtime favorite in coastal and tropical locales.



Standard



Additional Rail



Additional Vertical Mullion



PROMISE TO YOU

We guarantee the beauty of our Architectural Collection shutters for life. Backed by a limited lifetime structural and finish warranty, these shutters will not crack, split, rot, peel or flake.



Architectural Collection, Bahama



Architectural Collection, Bahama

The Classic Collection

ATTRACTIVE DIMENSION, ARTFUL DESIGN

Classic Collection shutters add a look of immediate distinction to any home, showcasing crisp color and eye-catching dimension. Skillfully handcrafted, these shutters are available in the popular Board and Batten, Raised Panel and Faux Louver designs. Classic Collection shutters can be installed as either operable or fixed shutters. Season after season, their advanced composite construction delivers enduring beauty with no need for paint or maintenance.

THE KEY TO CRAFTSMANSHIP

Classic Collection shutters are exclusively hand-crafted from our proprietary, exterior grade composite wood, including panels, stiles, rails and closed louvers. Components are machine- and hand-sanded, then hand-assembled using tongue and groove joinery techniques that have been employed by skilled craftsmen for ages. Hand-sanding several times ensures a smooth finish.

VIVIDLY ENDURING APPEAL

An exclusive finishing process ensures the color you select holds its richness. It begins with two coats of durable, marine-grade primer, which is the same primer used on historic paddle wheel boats on the Mississippi River. Two coats of specially-formulated industrial-grade 2-part urethane finish paint are applied. Atlantic's unique oven-curing process hardens the finish paint into a protective shell with deep, vibrant color. The finish bonds permanently with the shutter material for extreme durability.





Classic Collection, Louver



Classic Collection, Panel



Classic Collection, Raised Panel

Raised Panel

Across architectural styles, Classic Collection Raised Panel shutters are an ideal accent for giving a home intimate character and attractive warmth. Their traditional design offers eye-catching dimension for a complete range of designs and exterior materials. Classic Collection Raised Panel shutters are offered with numerous options. An extra panel creates unmistakably rich texture; a single panel provides stately, crisp lines; popular arch or radius tops perfectly complement shaped windows for scenic custom looks.



Standard



Single Panel



Extra Panel



Flat Panel



Custom Rail
Location



Arch or
Radius Top



V-groove
Flat Panel



Classic Collection, Board and Batten

Board and Batten

With bold dimension and solid, colorful character, Board and Batten shutters distinguish homes with Old-World charm and a flourish of rustic style. These shutters offer a classic aesthetic for a variety of homes. Board and Batten shutters are a favorite choice for picturesque forest and lake homes. Popular options include z-bars, extra battens and arch or radius tops. To ensure historical accuracy, vertical grooves are approximately every 4 inches.



Standard



Z-Bar



Extra Batten



No Battens



Arch or
Radius Top





Classic Collection, Louver



Classic Collection, Louver

Faux Louver

Atlantic's Faux Louver shutters use a unique patented process that delivers a beautiful louvered appearance. These shutters add a classic, traditional look with rhythmic, clean lines. Enhancing a variety of home styles, Faux Louver shutters offer the popular option of an additional rail, accentuating both horizontal and vertical appeal. Rails also accommodate optional sliding-bolt hardware for a more handsome operable-shutter application. Arch and radius top shutters are also available to match this popular window design.



Standard



Additional Rail



Arch Top

Our **PROMISE TO YOU**

Along with our complete palette of 31 exceptional colors providing maintenance-free vibrancy, we also offer custom coloring. Our partnership with the world leader in finishes allows us to match most any color.



Pro Series, Raised Panel

The ProSeries

THE CHOICE FOR VERSATILITY, CUSTOM COLOR AND OUTSTANDING CHARM

Atlantic's ProSeries Shutters are hand-assembled from exterior-grade composite wood components that will not rot, crack or split. These shutters are factory-primed only and ready to receive any bold color with a high-quality exterior paint of your choice.

Design details complete the front and back of each shutter, with four handsome styles available: Louver, Raised Panel, Flat Panel and Board and Batten. Corners and joints are true and square with tongue and groove construction that provides superior strength.

Each ProSeries shutter is machine-sanded and finished with a single coat of marine-grade primer, significantly reducing your time in applying a finish coat of paint. Shutters need only be scuffed with fine 360 grit sandpaper prior to receiving the finish paint coat.

Versatile ProSeries shutters can be specified to correct window scale or sized as desired. Widths are available from 12" to 24" in one-inch increments; heights from 30" to 84" in inch increments. Quarter Round Arch Tops are also available. ProSeries shutters may be installed in fixed or operable applications and are backed by a 3-year structural warranty.



Louver



Raised Panel



Flat Panel



Board and Batten



Architectural Collection, Louver



Architectural Collection, Bahama



Classic Collection, Raised Panel



Architectural Collection, Louver

Unique Cut-outs

THE SIMPLE ELEGANCE OF INDIVIDUALITY

Nothing provides warmth like a personal touch. With our standard and custom cut-out capabilities, you can enhance your home with inviting charm and a singular, beautiful look.

From stars to crescent moons and palm trees, cut-outs add eye-catching dimension and uncommon style. Hearts or diamonds bring an extra touch of warmth to historical homes. Anchors, sailboats or seahorses enrich lakeside and coastal living scenes. With custom cut-outs, your imagination shapes a look to match your individuality.

STANDARD CUT-OUTS

Palm, Moon, Pineapple, Anchor, Star, Heart, Tree, Diamond and Sailboat.




Palm

Moon



Pineapple

Anchor



Star

Heart



Tree

Diamond



Sailboat



CUSTOM CUT-OUTS

For the most unique style enhancements, Atlantic can produce virtually any type of custom-designed cut-out. An exact drawing or template of the custom design is required.





Architectural Collection, Raised Panel



12" Slide Bolt

Authentic Hardware

THE EYE-CATCHING JEWELRY OF YOUR HOME

Our architecturally-correct and historically-accurate hardware pieces are a small detail, yet they speak volumes about the attentive style of your home. An ornament in themselves, they evoke the craftsmanship of a blacksmith forging clean, elegantly simple architectural elements – jewelry that completes your home's sophisticated look.

Providing full utility, our durable hardware is forged from 304 series stainless steel with a matte black, powder coat finish. From depth-enhancing Slide Bolts to smoothly attractive "S" Holdbacks and Rat-tail Holdbacks, hardware pieces amplify style with endearing simplicity.

When shutters are in the open position, our traditional hardware adds beautiful dimension by setting the shutters off from the home, allowing a hint of exterior cladding to be visible between each shutter leaf and the structure for a noticeable fine touch.

For fixed mounting applications, a clean finish is possible by using our clear polycarbonate L-brackets. Bahama shutters use aluminum hardware that is available in a mill or powder-coated black finish.



6" L-Hinge

Storm Hurricane Rated

With Atlantic Premium Shutters, you don't have to sacrifice design appeal, even in the heart of hurricane zones. When the wind whips fiercely, the rain hardens and debris becomes airborne, Atlantic's Hurricane Storm-rated shutters protect your coastal home. All while providing the same unmatched beauty for which all Atlantic shutters are known.

Our Inside Locking U-Shaped Storm Bar System features two U-shaped storm bars that lock from the interior when the shutters are closed. Each shutter leaf has a 1/8" thick clear polycarbonate panel fastened to its back, helping protect the shutter leaf, the window and your home's interior. The system meets the Large Missile Impact Test requirement as specified in the IRC and IBC 2006.

The system is available for Architectural and Classic Collection shutters in Louver, Raised Panel or Board and Batten styles (does not apply to arch and radius top shutters, cut-outs, or combination styles).

When your shutters are in the open position, the polycarbonate backing remains hidden from view, so your home evokes a scenic, seamless charm. Only you will know how extremely tough your beautiful Atlantic shutters really are.

The Bahama Storm System offers the same high level of home protection, but with our unique Bahama style Architectural Collection Shutters that offer sleek, versatile aesthetics.

A 1/8" thick clear polycarbonate panel is permanently attached to the back of the shutter. A camelback locking system specifically designed for the Bahama style is installed along the sides of the shutter.

With the Bahama Storm System, you gain privacy, ambient light, fresh air, and home-protecting toughness independently tested to a design pressure of 60 PSF.

The Bahama Storm System meets the Large Missile Impact Test requirement as specified in the IRC and IBC 2006. This system also meets the State of Florida Building Code 2007.



Architectural Collection, Bahama



Bahama Storm System
Locks from the outside



"U" Locking Storm Bar System
Locks from the inside



Horizontal Storm Bar System
Locks from the outside

SPECIFICATION REFERENCE


CAD Drawings available online at www.arcat.com.

GENERAL NOTES


To deflect rain away from the structure, louvered shutters should be installed so the louvers face AWAY from the structure when shutters are closed.

Shutter swing is 3" per shutter from the edge of the open shutter to the edge of the window opening when the shutter is closed; be sure to check for proper clearance (i.e. lamps, fixtures) when the shutter is in the open position.

Hinges are usually applied to the back of the shutter. They are only visible in their entirety when the shutter is in the closed position.



Shutters in closed position



Ensure proper clearance of shutters.

ARCHITECTURAL COLLECTION

Manufactured By:

Atlantic Premium Shutters, Latta, South Carolina (O/E)

Nominal Thickness:

1¼" stiles and side rails on Louvered Colonials, Combination, or Bahamas.

1" on Raised Panel styles.

(other styles subject to special inquiry)

Installation: To be installed in either a fixed or operable condition in accordance with manufacturer's recommendations, with no nailing or screwing through face of shutter.

Material: Pultruded fiberglass and/or high density structural PVC and/or proprietary composite material. All slats and louvered side rails to be fiberglass.

Finish: Two part acrylic urethane oven-cured paint. 31 standard colors (custom colors available).

Hardware:

Colonial style shutters

- Black powder coated stainless steel, all other brads and fasteners also to be stainless steel.

Bahama

- Aluminum "brushed" or powder-coated black finish arms. Hinges are aluminum with factory-applied two-part acrylic urethane finish.

Performance: All fiberglass louvers and side rails to be thermally stable from -100°F to +200°F.

Warranties:

Lifetime against defects in materials and factory paint finish. Limited to original purchaser.

CLASSIC COLLECTION

Manufactured By:

Atlantic Premium Shutters, Latta, South Carolina (O/E)

Nominal Thickness: See page 37.

Installation: To be installed in either a fixed or operable condition in accordance with manufacturer's recommendations, with no nailing or screwing through face of shutter.

Material: Solid core composite materials.

Finish: Two part acrylic urethane paint, oven cured.

Hardware: Black powder coated stainless steel – all other brads and fasteners also to be stainless steel.


Colonial style shutters

- Black powder coated stainless steel, all other brads and fasteners also to be stainless steel.


Warranties: Ten year warranty against defects in materials and factory paint finish.




ARCHITECTURAL COLLECTION - RAISED PANEL




standard



butt hinge




cut out




rabbeted edge
with beading




single panel
with vertical
cut profile



v-groove




arch or
radius top



custom rail
location



flat panel




extra panel




single panel


Rails: Structural PVC with smooth outer skin.
Panels: Proprietary exterior grade composite wood materials.
Louvers: N/A
Stiles: Pultruded Structural Fiberglass
Primer: On panels only marine grade
Paint Finish: Two-part Urethane
Thickness: 1"
Width: 12"-30" (in 1/8" increments)
Height: 24"-108" (in 1/8" increments)
Vertical Stile: 2 1/2"
Top Rail: 3"
Middle Rail: 3"
Bottom Rail: 3"




ARCHITECTURAL COLLECTION - LOUVERED COLONIAL




standard




rabbeted edge




bahama
louver spacing




solid archtop




custom top or
bottom rail




horns




butt hinge



custom rail
location




vertical mullion




faux tilt rod


Rails: Structural PVC with smooth outer skin.
Panels: N/A
Louvers: Pultruded Structural Fiberglass
Stiles: Pultruded Structural Fiberglass
Paint Finish: Two-part Urethane
Thickness: 1 1/4"
Width: 9"-30" (in 1/8" increments)
 Rail widths, if specified, may vary slightly due to louver/slat positioning.
 Vertical mullion or faux tilt rod required at every 30".
Height: 13 1/2"-108" (in 1/8" increments)
Vertical Stile: 2 1/4"
Top Rail: 4"
Middle Rail: 3 3/8"
Bottom Rail: 4" (may vary)




ARCHITECTURAL COLLECTION - COMBINATION



standard additional rails extra panel vertical mullion



faux tilt rod custom top or bottom rail solid panel arch top rabbeted edge



cutout bahama louver spacing

Rails: Structural PVC with smooth outer skin.

Panels: Structural PVC with smooth outer skin.

Louvers: Pultruded Structural Fiberglass

Stiles: Pultruded Structural Fiberglass

Paint Finish: Two-part Urethane

Thickness: 1 1/4"

Width: 12"-30" (in 1/8" increments)

Rail widths, if specified, may vary slightly due to louver/slat positioning. Vertical mullion or faux tilt rod required at every 30".


Height: 24"-108" (in 1/8" increments)

Vertical Stile: 2 1/4"

Top Rail: 3"


Middle Rail: 3"

Bottom Rail: 4"




ARCHITECTURAL COLLECTION - BAHAMA


less than 30"




30" to less than 60"



60" to less than 90"



90" to less than 120"



Widths from 30" – 59.875" require 1 vertical mullion which is automatically added.

Widths from 60" – 89.875" require 2 vertical mullions which are automatically added.

Widths from 90" – 119.875" require 3 vertical mullions which are automatically added.

Additional vertical mullions, rails and colonial louver spacing available upon request.

Rails: Pultruded Structural Fiberglass

Slats: Pultruded Structural Fiberglass

Stiles: Pultruded Structural Fiberglass

Paint Finish: Two-part Urethane

Width: 12"-119" (in 1/8" increments)

Thickness: 1 1/4"

Height: 18 1/2"-119" (in 1-1/2" increments)


Maximum Shutter Size: 120" w x 96" h or 96" w x 120" h

Vertical Stile: 2 1/4"


Top Rail: 2 1/4"

Middle Rail: 2 1/4"


Bottom Rail: 2 1/4"




CLASSIC COLLECTION - RAISED PANEL




standard




single panel



extra panel




flat panel



arch or radius top




v-groove




custom rail

Rails: Proprietary Exterior Grade Composite Wood
Panels: Proprietary Exterior Grade Composite Wood
Stiles: Proprietary Exterior Grade Composite Wood
Primer: Marine Grade
Paint Finish: Two-Part Urethane
Width: 12"-24" (in 1/8" increments)
Height: 13 1/2"-96" (in 1/8" increments)


Raised Panel	
Thickness:	1 3/4"
Vertical Stile Width (A):	2 1/2"
Top Rail Height (B):	2 1/2"
Middle Rail Height (C):	2 1/2"
Bottom Rail Height (D):	4 1/8"




Flat Panel	
Thickness:	1 1/2"
Vertical Stile Width (A):	2 1/2"
Top Rail Height (B):	2 1/2"
Middle Rail Height (C):	2 1/2"
Bottom Rail Height (D):	4 1/8"




V-Groove	
Thickness:	1 1/2"
Vertical Stile Width (A):	2 1/2"
Top Rail Height (B):	2 1/2"
Middle Rail Height (C):	2 1/2"
Bottom Rail Height (D):	4 1/8"




CLASSIC COLLECTION - FAUX LOUVER



standard




additional rails




arch top

Rails: Proprietary Exterior Grade Composite Wood
Louvers: Proprietary Exterior Grade Composite Wood
Stiles: Proprietary Exterior Grade Composite Wood
Paint Finish: Two-Part Urethane
Width: 9"-24" (in 1/8" increments)
Height: 13 1/2"-96" (in 1/8" increments)

Faux Louver	
Thickness:	1 1/4"
Vertical Stile Width (A):	2 1/2"
Top Rail Height (B):	2 1/2"
Middle Rail Height (C):	2 1/2"
Bottom Rail Height (D):	2 3/4" - 4"
Louver Angle:	22°



CLASSIC COLLECTION - BOARD AND BATTEN



standard


z-bar

extra
batten

no
battens




arch or
radius
top




cut-out

Rails: Proprietary Exterior Grade Composite Wood
Panels: Proprietary Exterior Grade Composite Wood
Stiles: Proprietary Exterior Grade Composite Wood
Primer: Marine Grade
Paint Finish: Two-part Urethane
Thickness: 1 1/2"
Width: 9"-24" (in 1/8" increments)
Height: 13 1/2"-84" (in 1/8" increments)
Batten Height: 4"
Batten Width: Panel width - less 1 1/2"
Board Width: Grooves are cut approximately every 4"



SECTION A-A

PROSERIES



Raised
Panel

Flat Panel

Louver

Board and
Batten

ProSeries shutters are available in four different styles

- Louver, Raised Panel, Flat Panel, Board and Batten.
- Quarter Round Arch Tops are available on Raised Panel, Flat Panel, Louver, and Board and Batten Shutters.

ProSeries shutters are available in the following sizes.

- Widths 12" to 24" in 1" increments.
- Heights 30" to 84" in 1" increments.

ProSeries shutters are primed only and should receive a finish coat of paint.

- Any good quality exterior grade finish paint should be used.
- Each shutter should be scuffed with a fine 360 grit sandpaper prior to application of the finish paint coat.

Hardware for ProSeries Shutters is provided separately.

ProSeries shutters are backed by a 3 year structural warranty.


TRADITIONAL HARDWARE

 <p>Pintel on Plate</p> <ul style="list-style-type: none"> • Sold in pairs • Pintel plate size - 1 1/2" x 3 1/2" x 1/8" • Pin diameter - 3/8" • Stainless Steel with a matte black powder coat finish • Offsets: 1/2", 1 1/2", 2 1/4", 3 1/2" 	 <p>Jamb Pintel Offset - 1/2", 1", 2"</p> <ul style="list-style-type: none"> • Sold in pairs • Stainless Steel with a matte black powder coat finish 	 <p>4" Lag Pintel</p> <ul style="list-style-type: none"> • Sold in pairs • Stainless Steel with a matte black powder coat finish • Pin diameter: 3/8" 	 <p>Pintel Shim</p> <ul style="list-style-type: none"> • Sold in eaches • Shim is 1/4" thick and stackable • Black Polyamide Plastic
--	--	---	---

TRADITIONAL HARDWARE

 <p>10" Strap Hinge</p> <ul style="list-style-type: none"> • Sold in same size pairs • Stainless Steel with a matte black powder coat finish • Offsets: 0", 1/2", 1 1/2", 2 1/4" 	 <p>10" Backplate</p> <ul style="list-style-type: none"> • Sold in pairs • Stainless Steel with a matte black powder coat finish 	 <p>12" Strap Hinge</p> <ul style="list-style-type: none"> • Sold in same size pairs • Stainless Steel with a matte black powder coat finish • Offsets: 1/2", 1 1/2", 2 1/4" 	 <p>12" Backplate</p> <ul style="list-style-type: none"> • Sold in pairs • Stainless Steel with a matte black powder coat finish
 <p>6" L-Hinge</p> <ul style="list-style-type: none"> • Sold in pairs • Stainless Steel with a matte black powder coat finish • Offsets: 0", 1/2", 1 1/2", 2 1/4" 	 <p>6" L-Hinge Back Plate</p> <ul style="list-style-type: none"> • Sold in pairs • Stainless Steel with a matte black powder coat finish 	 <p>Flat Hinge</p> <ul style="list-style-type: none"> • Sold in pairs • Stainless Steel with a matte black powder coat finish • Offset: 0", 1/2", 1 1/2", 2 1/4" 	 <p>Flat Hinge Back Plate</p> <ul style="list-style-type: none"> • Sold in pairs • Stainless Steel with a matte black powder coat finish
 <p>Acorn Holdback</p> <ul style="list-style-type: none"> • Sold in eaches • Chromed Bronze Bullet • Stainless Steel Hanger Bolt and Spring Clip 	 <p>Dog Post Holdback</p> <ul style="list-style-type: none"> • Sold in eaches • Stainless Steel with a matte black powder coat finish 	 <p>"S" Holdback</p> <ul style="list-style-type: none"> • Sold in pairs with 4" lag bolt, washer, cotter pin • Stainless Steel with a matte black powder coat finish 	 <p>Rat-Tail Holdback</p> <ul style="list-style-type: none"> • Sold in pairs • Stainless Steel with a matte black powder coat finish
 <p>6" Lag Bolt</p> <ul style="list-style-type: none"> • Sold in pairs • Stainless Steel with a matte black powder coat finish • For use with "S" and Rat-Tail holdbacks 	 <p>12" Slide Bolt</p> <ul style="list-style-type: none"> • Sold in eaches • Stainless Steel with a matte black powder coat finish 	 <p>12" Locking Slide Bolt</p> <ul style="list-style-type: none"> • Sold in eaches • Stainless Steel with a matte black powder coat finish 	 <p>H-Hinge</p> <ul style="list-style-type: none"> • Sold in pairs • Stainless Steel with a matte black powder coat finish
 <p>9" Adjustable Hinge with 3" Cleat</p> <ul style="list-style-type: none"> • Sold in pairs 			


EXAMPLES OF COMMON INSTALLATION OPTIONS - TRADITIONAL HARDWARE



HINGE REQUIREMENTS

shutter height	12" to 48"	49" to 96"	97" to 108"
hinge requirement	2	3	4

FIXED MOUNTING HARDWARE







Fixed Mounting Bracket


- Sold in 4-piece set
- Clear polycarbonate
- Sizes: 9", 14", 18"

BAHAMA HARDWARE

NOTE: Female hinge clearance is not factored into overall shutter height.

 Male Hinge	 2 3/8" Female Hinge	 3 3/8" Female Hinge
 Tilt arms with nylon end aluminum or black anodized	 Stainless steel clevis pin	 Nylon hinges/ eye-end sets

Examples of Common Installation Options - Bahama Hardware




STORM HARDWARE


Inside Locking "U" Shaped Storm Bar System

The Inside Locking "U" Shaped Storm Bar System meets the Large Missile Impact Test requirement as specified in the IRC and IBC 2006.

- Architectural and Classic Collection shutters in Louver, Raised Panel or Board and Batten styles. (Does not apply to arch and radius top shutters, cutouts, combination, or bi-folds.)
- Can be ordered in 1/8" increments to a maximum size of 30" width and 96" length per shutter leaf.
- Each shutter leaf has a clear (1/8" thick) polycarbonate panel fastened to the back.
- Two Inside Locking "U" Shaped Storm Bars required per shutter pair.
 - Storm bar length 6", height 2", thickness 1/8", projection 1"
 - Storm bars require installation by the shutter installer.
 - Bolts and wing nuts are provided.



"u" shaped storm bar



polycarbonate panel

Horizontal Storm Bar System

Can be ordered in 1/8" increments to a maximum size of 60" w x 96" h window opening (shutter width of 30").

Two Horizontal Storm Bars required per shutter pair.


- Storm bar length needs to match the total width of the shutter pair.
- Storm bars require installation by the same shutter installer.
- Bolts and wing nuts are provided.

Bahama Storm System


The Bahama Storm System meets the State of Florida Building Code 2006.

- Architectural Collection Bahama style shutter.
- Can be ordered in 1/8" width and 1/2" height increments to a maximum of 60" w x 103" h.
- Each shutter has a clear (1/8" thick) polycarbonate panel fastened to the back.


A camel back locking system is installed along the sides of the shutter, provided at no charge.



horizontal storm bar



bahama



Colors

Colors are representative only and vary from the actual product.
For accurate color selection please see a paint color chart.



Black 632



Midnight Sky 639



Roycraft Copper Red 668



Roycraft Pewter 663



Charleston Green 653



Deep Sea Blue 637



Board & Batten Red 650



Pewter 646



Rookwood Shutter Green 654




Tempest Blue 666




Federal Brown 635



Roycraft Mist Gray 664



Roycraft Bottle Green 655



Hamilton Blue 667



Polished Mahogany 657



Chelsea Gray 662



Evergreen 638



Harbor 645



Rookwood Med. Brown 658



Hammered Silver 661



Rookwood Dark Green 656



Cascade 647



Walnut 641



Sand 642



Forest Green 633



Plum Creek 643



Craftsman Brown 659



Weathered Shingle 660



Pine 644



Bordeaux 640



White 631

THE TAPCO GROUP®: INNOVATION IS OUR CORNERSTONE

All of our brands at The Tapco Group® are firmly rooted in innovation. Focusing on maintenance-free beauty, easy installation, sustainability and delivering the most colors and product options, The Tapco Group is committed to Innovation Born from Original Thinking™. From the basement to the roof, we have your needs covered. We invite you to learn more about the complete range of premium exterior products offered by The Tapco Group. www.theTapcoGroup.com



INSPIRE® ROOFING PRODUCTS

InSpire offers the industry's widest color palette, including the only "color-through blended-color" tiles on the market. The proprietary manufacturing process ensures authentic texture for both InSpire's composite slate and composite cedar shakes, and correct weathering for elegance over the decades. Durability and safety are enhanced with a Class A fire rating and our InFlex design that delivers a perfect fit and strength that survives 110 mph winds. www.InSpireRoofing.com



THE FOUNDRY®

The Foundry Specialty Siding offers the handsome warmth of shake and shingle siding and the inherent charm of stone. Our proprietary manufacturing process uses more than a hundred molds cast from real cedar and stone, giving your home authentic texture with artistic color and premium durability. An ASA cap keeps colors rich for a lifetime. Contractor-friendly 5-foot panels are unique, allowing easy handling, less scrap and faster completion of homes. www.FoundrySiding.com



MID-AMERICA SIDING COMPONENTS®

Holding more exterior-product patents than anyone else, Mid-America Siding Components help builders and contractors finish the job, with decorative products that install easily and provide standout curb appeal. Our innovations allow quick and efficient installation while delivering a finished look. Offered in the industry's widest color palette, Mid-America products add versatile style to exteriors ranging from brick to fiber cement to stone veneer. www.MidAmericaComponents.com



STURDIMOUNT®

SturdiMount by Mid-America is the mount block of choice for providing fiber cement homes with a superior finish and a trusted water management solution. Integrating fiber cement with a durable nailing flange, SturdiMounts are pre-flashed and pre-assembled to save time, while also ensuring the cleanest finish for coach lights, hose bibs, dryer vents and other applications. SturdiMount products are the only mount blocks to carry the "Recommended by James Hardie®" logo and are cited in the Hardie Best Practices Guide under General Installation Requirements. www.SturdiMount.com



WELLCRAFT® EGRESS SYSTEMS

For code-compliance and peace of mind, Wellcraft Egress Systems provide critical escape routes while making basements more livable. The systems' simple use delivers an emergency exit that even children can operate. Basements are enhanced by the addition of natural light and fresh air, and innovative well designs even allow homeowners to create a scenic look by adding flowers and plants directly into well steps. www.WellcraftWells.com



TAPCO INTEGRATED TOOL SYSTEMS®

Serving professional siding applicators since 1961, Tapco Integrated Tool Systems allow for faster bending, safer cutting and customized exterior touches that distinguish their customers' homes. Our brakes and full line of accessories offer quick measuring, efficient slitting and sawing, enhanced job site mobility and the ability to create value-adding decorative designs and strengthening ribs in fascia, window trims, frieze boards, porch posts and beams. www.TapcoTools.com



Atlantic Premium Shutters®

www.AtlanticPremiumShutters.com

(866) 288-2726

